
Subject: Re: Another IRC scripting question
Posted by [Cat998](#) on Wed, 18 Jul 2007 21:31:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

You are talking about the programm mIRC in this topic I guess...

If you want to use this you need to know how to use mIRC Remote script events.

Everything about mIRC scripting is explained in its help file.
Because mIRC first has to ask a DNS server, there is a delay,
and therefore there is no identifier returning something,
but an alias event getting called when the reply of the DNS server is received.

Quote: on DNS

The on DNS event triggers when a /dns query either succeeds or fails.

Format: on <level>:DNS:<commands>

Example: on 1:DNS:/notice \$me Resolved: \$raddress

Examples

```
on 1:DNS:{
var %n = $dns(0)
echo 4 Found %n addresses
while (%n > 0) {
    echo 4 dns: $dns(%n) nick: $dns(%n).nick addr: $dns(%n).addr ip: $dns(%n).ip
    dec %n
}
}
```

Note: This event is also triggered if you try to /dns a nickname, and the nickname is not on IRC.

The \$dns(N) identifier

This identifier can be used only in the on DNS event, and returns the address that was resolved and any associated IP addresses.

Properties: nick, addr, ip

\$dns(N) without a property returns the address being resolved.

You can use N = 0 to return the number of addresses found.

You can use \$dns(0).nick/addr/ip to reference properties if an address couldn't be resolved.
