

---

Subject: Re: I Learn Some Basic C++!

Posted by [\\_SSnipe\\_](#) on Wed, 24 Jun 2009 01:04:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

nopol10 wrote on Tue, 23 June 2009 17:00SSnipe wrote on Wed, 24 June 2009 06:48as i said im new and this basic stuff is all i know so far but im just guessing it but here cnc

```
#include "stdafx.h"
#include <iostream>
using namespace std;

int main() {
    double a, b, c, d, e;
    cout << "Enter numbers here to be added up (5 is the max) then multiplied by 100 ";
    cin >> a;
    cout << "Enter second digits: ";
    cin >> b;
    cout << "Enter third digits: ";
    cin >> c;
    cout << "Enter fourth digits ";
    cin >> d;
    cout << "Enter fifth digits: ";
    cin >> e;
    cout << "The Output Is: " << 100 * a + b + c + d + e;
    return 0;
}
```

Order of operations, what happens here is that a is multiplied by 100 and then added together with b, c, d and e. What you need is to bracket up a+b+c+d+e.

```
cout << "The Output Is: " << 100 * (a + b + c + d + e);
```

OO so simple, so do you always got to put those variables in brackest when theres mroe then one? or always?

---