
Subject: Re: PHP issue

Posted by [danpaul88](#) on Mon, 06 Dec 2010 17:00:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

OK, the problem here is simple. Your setting the a session variable with the comment ID in... except you load MULTIPLE comments, so each comment overwrites the ID the previous one set, so if you use this variable on page2 to delete a comment it will ALWAYS delete the last comment loaded.

You should instead pass the comment ID to be deleted as a parameter to the delete page and use the \$_GET array to obtain it's value.

I have modified your code fragments below, look at the changes and you should be able to work out whats happening.

```
$commentquery = mysql_query("SELECT * FROM comments WHERE recipient = ".$id."ORDER
BY TIMESTAMP DESC");
while($get_comment_array = mysql_fetch_array($commentquery))
{
$sender = $get_comment_array['sender'];
$senderid = mysql_query("SELECT * FROM members WHERE uid = ".$sender."");
$memberarray = mysql_fetch_array($senderid);
$sendername = $memberarray['fullname'];
$commentid = $get_comment_array['commentid'];
$recipient = $get_comment_array['recipient'];
$message = $get_comment_array['message'];
$timeofwriting = $get_comment_array['TIMESTAMP'];
echo "<div class='comments'>";
echo "<a style='color:blue;text-decoration:underline;'
href='profile.php?id=".$sender."'>".$sendername."</a> . " . $message . " <a style='float:right'
href='comment.php?type=member&action=del&cid=".$commentid."'><img
src='delmessage.jpg'/></a>".<span style='font-size:12px;color:grey;'>".$timeofwriting. .
"</span>";
echo "</div>";
}
echo "<div class='comments'>";
$_SESSION['tid'] = $id;
//$id == $_GET['id']
```

page2.php (this is the deleting page)

```
if($_GET['type'] == "member" && $_GET['action'] == "del")
{
mysql_select_db("user");
$cid = $_GET['cid'];
```

```
$delquery = mysql_query("DELETE FROM comments where commentid = ".$cid." AND sender  
= ".$uid."OR recipient = ".$uid."")or die(mysql_error());  
header("Location: page1.php?id=".$tid.");  
}
```

Also, I am interested to know where page2.php gets the values of \$uid and \$tid from, as they are not set in that code fragment. I assume you do set their value correctly elsewhere in the script?
