

---

Subject: renguard locator irc scripts

Posted by [ghostSWT](#) on Sun, 30 Jan 2005 04:14:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I'm not sure if it's just me but the scripts i am using was working fine then about 5 days ago it stoped i modified it to work and i just saw today it's not working again and i had to put it to what it was originaly.

```
i'm using this irc script on *:sockopen:rglocate: {
  sockwrite -n $sockname GET /_scripts/rglocate.php?q= $+ %rName $+ &limit=2 HTTP/1.1
  sockwrite -n $sockname Host: renguard.com $+ $CrLf $+ $CrLf
}
on *:sockread:rglocate: {
  if ($sockerr > 0) return
  :nextread
  sockread %temprglocate
  if ($sockbr == 0) return
  if (%temprglocate == $null) %temprglocate = -
  if (%locateline == yes) {
    /write -c rglocate.txt %temprglocate
    unset %locateline
  }
  else /write rglocate.txt %temprglocate
  goto nextread
}
on *:sockclose:rglocate: {
  if ($read(rglocate.txt, 1) == HTTP/1.1 200 OK) {
    if (No results found. isin $read(rglocate.txt, 11)) {
      /msg %rName is not Runing Renguard.
    }
    else if (returning isin $read(rglocate.txt, 11)) {
      if ($gettok($read(rglocate.txt, 12),2-,32) == --- Idle) { /msg $gettok($read(rglocate.txt, 12),1,32)
is running RG }
      else if ($gettok($read(rglocate.txt, 13),2-,32) == --- Idle) { /msg $gettok($read(rglocate.txt,
13),1,32) is running RG }
      else { /msg %rName not found, #1 try typing the full name }
    }
  }
}
```

my problem that the text file that sockread makes is not the same. a week ago it would make a file look like HTTP/1.1 200 OK

Date: changed form original

Server: Apache/2.0.46 (Red Hat)

Accept-Ranges: bytes

X-Powered-By: PHP/4.3.2

Connection: close

Transfer-Encoding: chunked  
Content-Type: text/html; charset=UTF-8

-  
2D  
<pre>Returning 1 results...  
ghostSWT --- Idle

-  
0  
-  
then a few days ago it started making this one take a look at the way the name and --- Idle are no longer on the same line

HTTP/1.1 200 OK  
Date: changed form original  
Server: Apache/2.0.46 (Red Hat)  
Accept-Ranges: bytes  
X-Powered-By: PHP/4.3.2  
Connection: close  
Transfer-Encoding: chunked  
Content-Type: text/html; charset=UTF-8

-  
2D  
<pre>Returning 1 results...  
ghostSWT

-  
--- Idle  
-  
0  
-

and i guess today it's back to what it was b4, is that just my crapy scrip or what?  
PS i know it only looks if the person is idling but that's the way i want it, the server this is 4 is not reungarded so i only need to see if they are idling or not.

---

Subject: reungard locator irc scripts  
Posted by [ghostSWT](#) on Wed, 02 Feb 2005 01:32:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

anyone? i'm willing to accept any comment like no I didn't have any !rg irc scripts problems or no we didn't do anything to reungard network that would cause that or yes i had same problem....

---

Subject: reungard locator irc scripts  
Posted by [Crimson](#) on Wed, 02 Feb 2005 05:21:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

I'm not sure what the deal was... maybe my web server was doing something different, but I didn't change anything to fix it.

---

---

Subject: renguard locator irc scripts  
Posted by [Cat998](#) on Wed, 02 Feb 2005 06:15:21 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

No, it still works on my server.

My comment: Make more flexible irc scripts

---

---

Subject: renguard locator irc scripts  
Posted by [ghostSWT](#) on Wed, 02 Feb 2005 07:22:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

ok ty, that's all i wanted to know

---