Subject: Server on WOL Posted by Parad0x on Wed, 10 Aug 2005 19:32:49 GMT View Forum Message <> Reply to Message

I am renting a dedi pc on which i am hosting servers on gamespy, but when it comes to WOL it just doesnt want to work...

I have checked and double checked the ports it uses and they are the same, i booted up a server for GSA with the ports i wanted to use for the WOL server and it was able to display and work perfectly on gamespy.

I have tested hosting on WOL on my own pc with all 3 of the serials i have and i am able to do it no problem

I have tried 3 different serials along with different login names for WOL and it just doesnt want to work, It boots the FDS then shuts it down straight away, and in the renlog file it just says:

[20:29:59] *** Auto starting game. Type 'quit' to abort *** [20:29:59] Initializing Westwood Online Mode

Each time i try to boot the server it just adds that onto the renlog expect it has a different time.

I am totaly lost as to what the problem actually is because i've tried everything that i know of to get it to work...

Subject: Re: Server on WOL Posted by Cat998 on Thu, 11 Aug 2005 06:17:54 GMT View Forum Message <> Reply to Message

Tried reinstalling it ?

Subject: Re: Server on WOL Posted by Nightma12 on Thu, 11 Aug 2005 07:21:32 GMT View Forum Message <> Reply to Message

sounds to me that u are missing westwood shared internet componants?

Subject: Re: Server on WOL Posted by Parad0x on Thu, 11 Aug 2005 09:07:35 GMT View Forum Message <> Reply to Message

Yes i've tried re-installing at least 10 times now, still no luck.

The shared internet components were installed when the server was installed.

edit

After an hour of re-installing messing around with ports and what not i managed to get it to attempt logging into wol, but then i get this:

[10:19:51] *** Auto starting game. Type 'quit' to abort ***
[10:19:51] Initializing Westwood Online Mode
[10:19:52] Got server list
[10:19:52] Logging onto USA Server
[10:20:03] Error - Your serial number appears to be invalid.
[10:20:03] Failed to log in, retrying

Each of my serials say the same thing even though they are authentic and were from the serial server until it stopped giving them...

Subject: Re: Server on WOL Posted by SODPaddy on Thu, 11 Aug 2005 10:35:18 GMT View Forum Message <> Reply to Message

you need a right serialnumber

Subject: Re: Server on WOL Posted by ParadOx on Thu, 11 Aug 2005 11:18:12 GMT View Forum Message <> Reply to Message

they are real from the EA serial generater thing before it stopped giving them out as i said above...

Subject: Re: Server on WOL Posted by zunnie on Fri, 12 Aug 2005 08:36:11 GMT View Forum Message <> Reply to Message

Weird, no idea about this one. I think you'll have to host on GSA until you get a new serial to host on WOL.

Subject: Re: Server on WOL Posted by ParadOx on Fri, 12 Aug 2005 12:08:09 GMT View Forum Message <> Reply to Message

The thing is, i've tried all 3 serials hosting from my own pc and they work fine

Subject: Re: Server on WOL Posted by zunnie on Fri, 12 Aug 2005 16:47:05 GMT View Forum Message <> Reply to Message

My guess would be that you dont have a proper DNS server entry in your IP config. Ask your host which one to use.


Alternatively:

Open the hosts file located in C:\Windows\System32\drivers\etc\ and at the bottom add the line: 159.153.208.23 renchat4.westwood.com

Save the file and restart the renegade server.

File Attachments
1) hideextensionsknownfiletypes.gif, downloaded 100 times

Page 3 of 6 ---- Generated from Command and Conquer: Renegade Official Forums



2) dnsserver.gif, downloaded 100 times

Page 4 of 6 ---- Generated from Command and Conquer: Renegade Official Forums

🍓 70.84.132.130 - Remote Desktop		
🔣 Renegade Master Server - a00000002 - sभ	cfg_cnc.ini	
Connection broken to client. 3 Player repunzle left the game	ipe170(2) prro(2) Community Servers by donating money (servers. Ping Address Kbits/s	
1 kukudestroyer 2497 GDI 1 2 hedrox666 44 NOD 1	Local Area Connection Properties	Internet Protocol (TCP/IP) Pro
2 hedrox666 44 NOD 1 4 Inspector_Gadget_NL	General Authentication Advanced	General
Local Area Connection Status	Connect using:	Veu cap ack ID cettings assigned
General Support	Intel(R) PRO/1000 MT Network Con	You can get IP settings assigned igun this capability. Otherwise, you n for the appropriate IP settings.
┌─ Connection	This connection uses the following items:	
Status:	✓ T Network Monitor Driver	O Obtain an IP address autor O Obtain an IP address autor
Duration:	Reliable Multicast Protocol	Use the following IP addres
Speed:	Marcinet Protocol (TCP/IP)	IP address:
	T	Subnet mask:
	I <u>n</u> stall Uninstall P <u>r</u> op	ertie Default gateway:
Activity Sent —	Description Transmission Control Protocol/Internet Protocol. The d wide area network protocol that provides communication across diverse interconnected networks.	
Packets: 15,676,745	Notify me when this connection has limited or no connection has limited or no connection has limited or no connection.	nect
	OK	
Properties Disable	17:33:35 PM	
	<u>Close</u>	
GDI : 5/50 players 6395	points (1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	
🛃 Start 🔞 进 📼 🍺 🖘 🛶 🎛 🗐 🧮	mIRC - [DaN (dandan5) 🛞 GameSpy Arcade 2.0.2	Multi Player Forums ->
	http://static.howstuffw	🥪 E:
🌽 🧐 😵 🔀 🎽 🛅	D:\Westwood\Renegade	70.84.132.130:

Subject: Re: Server on WOL Posted by danpaul88 on Sun, 14 Aug 2005 15:33:52 GMT View Forum Message <> Reply to Message

I am having the same problem all of a sudden...

My server works in LAN mode (ruling out problems with the svrcfg_cnc.ini file) but in WOL mode it does the same as stated in the first post.

I tried adding the line to the hosts file, but it had no effect.

I have hosted an fds server on this computer before with no problems, and all ports are open as they should be.

I am using a fresh install of the RenFDS with Brenbot 1.41 installed on top, on a Windows XP Pro SP2 machine. I deleted the old FDS folder (after running the uninstall program) before installing again.

Page 6 of 6 ---- Generated from Command and Conquer: Renegade Official Forums