Subject: scripts.dll 3.0 is finally out Posted by jonwil on Thu, 14 Dec 2006 02:52:09 GMT View Forum Message <> Reply to Message

After a lot of work, scripts.dll 3.0 is finally out. Get it from http://www.sourceforge.net/projects/rentools/ Final changelog for scripts.dll 3.0 Migrated everything up to Visual C++ .NET 2005 Fixed the messagebox displayed if scripts.dll cant find a function in bhs.dll to display the correct message. Fixed the "bhs.dll didnt load" and "scripts2.dll didnt load" messageboxs to display the correct message. Fixed the "bhs.dll version mismatch" messagebox to display the correct message. Increased the version to 3.0 new hook to detect players leaving the game new engine call to display the "you dont have the required r a global controler, one for a stealth generator building, one for a mobile stealth generator vehicle and one that goes on stuff that should not be made stealth (such as stealth tanks) JFW\_Sidebar\_Key\_2 (script to display the sidebar when a key is pressed) JFW Sidebar PT (triggers the sidebar when poked) JFW\_2D\_Sound\_Startup (script to play a 2D sound on startup) JFW\_Time\_Remaining\_Sounds (script to play 2D sounds to indicate time remaining in the game) JFW\_Vehicle\_Lock (script to manage vehicle locking including theft by spies) A small bug fix to JFW Nod Turret A small bug fix to JFW\_Nod\_Obelisk A small bug fix to JFW Advanced Guard Tower Missile A small bug fix to JFW Advanced Guard Tower Gun JFW Disable Loiter (clone of M00 Disable Loiter DAY) JFW InnateIsStationary (clone of M00 InnateIsStationary) JFW Generic Conv (clone of M00 Generic Conv DME) JFW\_Disable\_Hibernation (clone of M07\_Disable\_Hibernation) JFW\_Radar\_Spy\_Zone (script to cover putting a spy in the enemy radar dome/com center and having the radar come back on if yours is gone) JFW 2D Sound Zone Team (plays a 2D sound for a team after a timer has expired) JFW\_Repair\_Zone\_2 (script for a repair zone that costs money) JFW Infantry Force Composition Zone (script to display enemy infantry composition for the spy) JFW Vehicle Force Composition Zone (script to display enemy vehicle composition for the spy) Kamuix Death Team Win (new script by Kamuix) Kamuix Kill Change (new script by Kamuix) MDB\_Set\_Ammo\_Granted\_Weapon\_On\_Pickup (new script by WhiteDragon to set ammo on pickup) MDB\_Set\_Ammo\_Current\_Weapon\_On\_Pickup (new script by WhiteDragon to set ammo on pickup) MDB\_Set\_Ammo\_On\_Pickup (new script by WhiteDragon to set ammo on pickup) RA Vehicle Regen (script to handle vehicle regeneration) RA Thief (script for a thief)

RA\_Credit\_Theft\_Zone (script for a thief)

RA\_DestroyNearest\_OnDeath (script to destroy the nearest instance of a preset when the object with it attached is killed)

RA\_Ore\_Truck (script for a player controled ore truck)

RA\_Ore\_Field (script for a player controled ore truck)

RA\_Ore\_Delivery\_Zone (script for a player controled ore truck)

RA\_Vehicle\_Team\_Set (script to make a vehicle remain owned by the team for a little while when the driver gets out)

RA\_Vehicle\_Team\_Timer (script to make a vehicle remain owned by the team for a little while when the driver gets out)

RA\_Visible\_Driver (makes a person model show up in a vehicle when someone is inside it)

RA\_Vision\_Control (controls vision such as Set\_Screen\_Fade\_Opacity and

Set\_Screen\_Fade\_Color and fog)

RA\_Fog\_Level\_Settings (controls fog settings for the level)

SH\_Spawn\_Difficulty (script to spawn a different object depending on the current difficulty level)

RA\_Global\_Gap\_Controller (scripts for a gap generator)

RA\_Gap\_Generator\_Building (scripts for a gap generator)

RA\_Gap\_Generator\_Vehicle (scripts for a gap generator)

RA\_Gap\_Generator\_Ignored (scripts for a gap generator)

There is one script for a global controler, one for a gap generator building, one for a mobile gap generator vehicle and one that goes on stuff

that should not be cloaked (such as phase tanks if they get implemented)

Changes to the ExpVehFac scripts to send a custom to the vehicle letting the vehicle know who its owner is (only if its flying or naval, ground is handled elsewhere)

void Destroy\_Connection(int PlayerID); //Drop a player from the game by cutting off their network link

Fixes to a few engine calls (e.g. memory leak fixes and changes to go through the new class clones)

Removal of the GetMaxPlayerID engine call (it was broken and didnt work)

Removal of the Change\_String engine call (now that we have a proper implementation of StringClass, you can use StringClass::Operator= instead

FileClass \*Get\_Data\_File(const char \*file); //Open a file using the mix file opening logic void Close\_Data\_File(FileClass \*file); //Close a file that was opened with Get\_Data\_File

bool Is\_Unit\_In\_Range(const char \*preset,float range,Vector3 location,int team); //Is the given unit type in range of a location

void Set\_Ladder\_Points(int PlayerID,int amount); //Set the ladder points of a player void Set\_Rung(int PlayerID,int amount); //Set the rung of a player

int Get\_Current\_Weapon\_Style(GameObject \*obj); //Get weapon style for an objects current gun int Get\_Position\_Weapon\_Style(GameObject \*obj,int position); //Get weapon style for an objects gun at a specific position

int Get\_Weapon\_Style(GameObject \*obj,const char \*weapon); //Get weapon style for a specific gun (if the object doesnt have the gun, return is zero)

const char \*Get\_Powerup\_Weapon\_By\_Obj(GameObject \*Powerup); //Get the name of a powerup weapon given a PowerupGameObj

void Disable\_Preset\_By\_Name(unsigned int Team,const char \*Name); //Disable a preset by name void Disable\_Enlisted\_By\_Name(unsigned int Team,const char \*Name); //Disable an enlisted unit by name

void Create\_Effect\_All\_Of\_Preset(const char \*object,const char \*preset,float ZAdjust,bool ZSet);

//Create an object above all objects of a given preset, also set the facing to match the object its being created over.

float Steal\_Team\_Credits(float percentage, int team); //Steal credits from a team GameObject \*Find\_Nearest\_Preset(Vector3 position, const char\* preset); //find the nearest preset GameObject \*Find\_Random\_Preset(const char\* preset, int min, int max); //find a random preset void Ranged\_Stealth\_On\_Team(Gap\_ListNode\* FirstNode); //Apply stealth to all units in the range of this on the relavent team

void Send\_Custom\_All\_Players(int message,GameObject \*sender,int team); //send a custom to all players

void Ranged\_Gap\_Effect(Gap\_ListNode\* FirstNode); //apply gap effect to all units of a team within a range

AmmoDefinitionClass \*Get\_Weapon\_Ammo\_Definition(const char \*weapon,bool PrimaryFire); //Get the AmmoDefinitionClass of a weapon given its preset name

AmmoDefinitionClass \*Get\_Current\_Weapon\_Ammo\_Definition(GameObject \*obj,bool PrimaryFire); //Get the AmmoDefinitionClass of an objects current weapon

AmmoDefinitionClass \*Get\_Position\_Weapon\_Ammo\_Definition(GameObject \*obj,int

position, bool PrimaryFire); //Get the AmmoDefinitionClass of an objects weapon at the specified position

WeaponDefinitionClass \*Get\_Weapon\_Definition(const char \*weapon); //Get the

WeaponDefinitionClass of a weapon given its preset name

WeaponDefinitionClass \*Get\_Current\_Weapon\_Definition(GameObject \*obj); //Get the WeaponDefinitionClass of an objects current weapon

WeaponDefinitionClass \*Get\_Position\_Weapon\_Definition(GameObject \*obj,int position); //Get the WeaponDefinitionClass of an objects weapon at the specified position

ExplosionDefinitionClass \*Get\_Explosion(const char \*explosion); //Get the

ExplosionDefinitionClass of an explosion given its preset name

const char \*Get\_Translated\_Definition\_Name(const char \*preset); //Get the translated name string for a preset name

const wchar\_t \*CharToWideChar(const char \*str); //convert a char to a wide char

A small change to ActionParamsStruct

A fix to the definition of Get\_Sync\_Time

A complete clone of StringClass

A complete clone of ChunkLoadClass

A complete clone of ChunkSaveClass

Definitions of the remaining unknowns in cGameData

A complete clone of WideStringClass

A clone of FileClass

A clone of FileFactoryClass

A clone of ReferenceableClass

A clone of ReferencerClass

A clone of PlayerDataClass

Updates to the clone of NetworkObjectClass

A clone of Matrix4

A clone of ChunkHeader

A clone of MicroChunkHeader

A clone of IOVector2Struct

A clone of IOVector3Struct

A clone of IOVector4Struct

A clone of IOQuaternionStruct A clone of RefCountClass A clone of BaseGameObjDef A clone of BaseGameObj A clone of ScriptableGameObjDef A clone of AudioCallbackClass A clone of ScriptableGameObj A clone of TransitionGameObjDef A clone of TransitionGameObj A clone of DamageZoneGameObjDef A clone of DamageZoneGameObj A clone of ScriptZoneGameObiDef A clone of ScriptZoneGameObj A clone of DefenceObjectDefClass A clone of DamageableGameObjDef A clone of DefenceObjectClass A clone of DamageableGameObj A clone of cPlayer A clone of Vector2 A clone of RectClass A clone of AmmoDefinitionClass A clone of WeaponDefinitionClass A clone of MuzzleFlashClass A clone of WeaponClass A clone of ExplosionDefinitionClass A new dll, shaders.dll that provides hooks into the rendering engine to allow for custom shaders (all the stuff below applies to shaders.dll): Definition of ProgrammableShaderClass, the base class for all custom shaders Definition of the shader factory system used to register custom shaders Definition of ShaderManagerClass, the class that manages all the loaded custom shaders (loads shader database files, unloads shader database files etc) Definition of the base exported shaders.dll functions: Release\_Resources (called when the device is released or reset) Reload\_Resources (called after the device is reset) Render (called to do actual rendering) MapLoaded (called on map load) MapUnloaded (called on map unload) FrameStart (called on frame start) FrameEnd (called on frame end before UI is drawn) ScopeTrigger (called when scope is triggered or closed) ScopeChange (called when scope is changed) ShaderSet (called when set through engine call in bhs.dll, used to allow scripts to trigger specific stuff in shaders.dll) New functionality (in bhs.dll and shaders.dll) that overrides the drawing of most in-game meshes to add Tangent and Binormal data to them. A series of engine calls (some copied from engine.h/engine.cpp) for shaders to use. A clone of ShaderClass

A clone of several enums that apply to ShaderClass

A clone of the WW3DFormat enum

A clone of enums that apply to TextureClass and VertexMaterialClass

A clone of TextureMapperClass

A clone of FVFInfoClass

A clone of VertexBufferClass

A clone of IndexBufferClass

A clone of Vector4

A clone of VertexMaterialClass

A clone of TextureClass

A clone of RenderStateStruct

A clone of DX8Caps

A clone of VertexBufferLockClass

A clone of VertexBufferClass::WriteLockClass

A clone of VertexBufferClass::AppendLockClass

A clone of DX8VertexBufferClass

A clone of VertexFormatXYZNDUV2

A clone of SortingVertexBufferClass

extern unsigned int \*render\_state\_changed; //Which render states are to be updated, uses ChangedStates enum

extern RenderStateStruct \*render\_state; //Current render state

extern mylDirect3DDevice8 \*\*Direct3DDevice; //Current Direct3D8 Device

extern IDirect3DDevice9 \*Direct3DDevice9; //Current Direct3D9 Device

extern myIDirect3D8 \*\*Direct3D; //Current Direct3D Interface

unsigned long CRC\_Memory(const unsigned char \*data,unsigned long length,unsigned long crc); //Calculate the CRC of a block of memory

void TextureInitialize(unsigned int stage); //initialize and load a current state texture if it hasnt already been loaded

void TextureInitialize2(TextureClass \*t); //initialize and load a texture if it hasnt already been loaded

void Draw(unsigned int primitive\_type, unsigned short start\_index, unsigned short polygon\_count, unsigned short min\_vertex\_index, unsigned short vertex\_count); //Call this to do the normal rendering pipe

void Buffers\_Apply(); //Apply the vertex and index buffers

bool Texture\_Exists(char \*texturename); //Does a texture exist

TextureClass \*\_stdcall Load\_Texture(const char \*path,MipCountType mip,WW3DFormat format, bool IsCompressionAllowed); //Load a texture

extern mylDirect3DTexture8 \*\*Textures; //Pointers for current IDirect3DTexture interfaces

extern unsigned int \*SyncTime; //Current sync time

extern bool \*TexturingEnabled; //Is texturing enabled

extern DX8Caps \*CurrentCaps; //Current caps bits

extern D3DCOLOR \*AmbientColor; //current ambient color

void \_stdcall Free\_Texture(TextureClass \*texture); //Free a texture

ShaderCaps, a class to retrieve capabilities relavent to shaders.

extern unsigned int \*MinTextureFilters; //texture filter values

extern unsigned int \*MagTextureFilters; //texture filter values

extern unsigned int \*MipMapFilters; //texture filter values

extern unsigned int \*RenderStates; //Current render states

extern D3DMATERIAL9 \*DefaultMaterial; //default material structure

extern bool \*CurrentDX8LightEnables; //current light enables

Vector4 \*GetColorVector4(D3DCOLOR \*color); //Converts a D3DCOLOR into a Vector4 extern unsigned int \*ActiveDialog; //If this is non zero, there is a dialog on the screen otherwise there is no dialog on the screen

Matrix4\* Get\_Projection\_Matrix(); //Get the projection matrix

void Set\_Texture\_Stage\_State(DWORD Stage,D3DTEXTURESTAGESTATETYPE

Type,DWORD Value); //Set a Texture Stage State Type

void Set\_Render\_State(D3DRENDERSTATETYPE State,DWORD Value); //Set a Render State Type

void Set\_Light(int pos,D3DLIGHT8 \*light); //Set a Light

void Draw\_Skin(char \*fvfcc); //draw skin models

void Draw\_Rigid(char \*fvfcc,char \*MeshClass); //draw rigid models

extern unsigned int \*\_PolygonCullMode; //current polygon culling mode

extern ShaderCaps\* TheShaderCaps; //ShaderCaps pointer

extern D3DPRESENT\_PARAMETERS8 \*parameters; //Presentation Parameters passed to CreateDevice and Reset

Vector3 \*Get\_Sky\_Color(); //Get the current sky color

unsigned int Get\_Registry\_Int(const char \*entry,int defaultvalue); //Get an int value from the renegade registry key

DWORD Get\_Render\_State(D3DRENDERSTATETYPE State); //Get a render state Vector3 \*GetColorVector3(D3DCOLOR \*color); //Converts a D3DCOLOR into a Vector3 Vector3 \*GetColorVector3(D3DCOLORVALUE \*color); //Converts a D3DCOLORVALUE into a Vector3

A new class RenderQuadClass for drawing textured quads on the screen

extern RenderQuadClass \*RenderQuad; // Textured Quad Drawing Class;

Classes and implementation for a Glow Shader including the shader database editor implementation so you can create this shader in a shader database plus shader code for the shader

Classes and implementation for a Glass Shader including the shader database editor implementation so you can create this shader in a shader database plus shader code for the shader and some sample textures you can use

Classes and implementation for an Offset Map Shader including the shader database editor implementation so you can create this shader in a shader database plus shader code for the shader

Classes and implementation for a do nothing shader that is applied to objects that dont have any other shader applied and that passes through to the fixed function pipeline

Definition of the base, controler and rendering classes for post process shaders

Classes and implementation for a post process shader that takes no parameters

Classes and implementation for a tone map post process shader

Classes and implementation for a bloom post process shader

Classes and implementation for a bright pass post process shader

Examples (shader database and textures) for the example shaders

A new tool, the shader database editor. This edits shader databases.

Base implementation of the shader database editor, including resources

Definition of engine calls required for the shader database editor.

Definition of EditorShaderClass, the base classe for the editor components of a shader

Definition of the shader factory system used to register custom shaders in the editor

Definition of EditorShaderManagerClass which manages shaders (loads and saves databases

etc) in the editor

Definition of the base and controler classes for post process shaders in the editor Changes to the way renegade detects video cards so that it will detect more video cards (especially newer ones that arent detected by the old code).

Also, it will correctly detect more video card driver versions. Plus, if you have a newer NVIDIA card, it will enable and use DXT1 (whereas the old renegade code would disable it).

There is a new feature, d3d9. This consists of a dll called d3d9.dll that changes renegade so it talks to Direct3D9 instead of Direct3D8.

This replaces scorpio9a's old RenD3D9 (without the fancy options rend3d9 has and without the bugs rend3d9 has). This is a required part of scripts.dll, not using d3d8.dll (or using any other d3d8.dll such as scorpio9a's dll) will probably lead to crashes.

This includes a feature whereby the size of the shadow texture is increased which leads to shadows that look better in game.

new console command VIEW that displays a dialog box containing a w3d file with an animation (similar to what the encyclopedia displays in SP).

new console command HUD that disables or enables the HUD.

A change to the way the player list is iterated (should fix the issues with some players not being displayed by the ID and PINFO console commands)

Cleanups to the way I patch memory that make applying patches and such easier and cleaner Cleanups to bhs.dll as a result of the new class clones

Changes to how VehicleOwnershipDisable works so that when its enabled, it sends a custom to the vehicle letting the vehicle know who its owner is

New hud.ini keywords MenuHiliteColor to change the color you see when you mouse over a menu control.

MerchandiseTextColor for the color on a purchase button

ListColumnColor for changing the color for list controls

Removal of the StealthRenderState hud.ini keywords (which were broken and are made obsolete by shaders.dll anyway)

New keywords to give the sidebar seperate purchase sounds for refill, infantry and vehicles New hud.ini keyword to change what registry key the renegade update/patching code reads the version number from

New hud.ini keyword WeaponImageVisibleNonVehicle that disables the display of the weapon icon when you are not in a vehicle (i.e. you see the steering wheel, gun and seat icons but not the weapon icon)

New hud.ini keyword WeaponVisibleNonVehicle that disables the display of the weapon name when you are not in a vehicle (i.e. you see the vehicle name but not any weapon name)

New feature to make the radar map rotate when you have a texture as the background (i.e. an overhead view texture of the map you are on)

New feature so that the per-map settings that apply to the radar map can be specified through an ini file named <mapname.ini> (e.g. C&C\_Islands.ini)

A fix from Black-Intel for the "vehicles getting stuck near ladders" problem

The Black-Intel wall lag fix

A change so that :: Created is called for C4 objects

A change so that the windows FDS doesnt try to write into the registry "RunOnce" key anymore.

A change so that the HUD is not affected by Set\_Screen\_Fade\_Color or

Set\_Screen\_Fade\_Opacity anymore.

The black-intel turret lag fix.

A change to the edit box so that ctrl-x, ctrl-c and ctrl-v work for cut, copy and paste.

Cleanups/new info for the following classes: **DialogControlClass** Render2DClass Render2DSentenceClass **ButtonCtrlClass** MerchandiseCtrlClass ImageCtrlClass ListIconMgrClas ScrollBarCtrlClass ListCtrlClass DialogBaseClass PopupDlgClass Definitions of: ListEntryClass ListColumnClass ListRowClass **AABoxClass** ViewerCtrlClass InputCtrlClass **IMECandidateCtrlClass** EditCtrlClass **MenuEntryCtrlClass** CheckBoxCtrlClass HealthBarCtrlClass DropDownEntry DropDownCtrlClass ComboBoxCtrlClass DialogTextClass ChildDialogClass A new dialog to configure bhs.dll features, it configures the following: Client chat log enabled Screenshot format High quality shadows enabled Shader rendering enabled Also, it configures the extended keys.cfg keys in the way that keycfg.exe does. However, you cant add keys to the list, only change the keys already in keys.cfg. If you wish to add keys to the list, edit keys.cfg manually or use keycfg.exe Hooks in bhs.dll to call shaders.dll Changes to crashdump.txt to dump: If appropriate, the current map, mod package, player count and time remaining The CRC32 of all modules (not just a few)

With scripts.dll 3.0, you MUST put the d3d8.dll in your renegade folder along with bhs.dll, scripts.dll and shaders.dll.

Not doing so (either on the client or the FDS) WILL cause problems. Using any other d3d8.dll (such as rend3d9) other than the one in this zip file WILL cause problems.

The reason 3.0 took a lot longer than I expected is because Saberhawk did not do what he was supposed to do fast enough. Had he not messed around so much, 3.0 could have been out by now and 3.1 could have been in mid stage development. Several deadlines for 3.0 came and went and he continued to mess about and not do what he was supposed to do.

Subject: Re: scripts.dll 3.0 is finally out Posted by Nightma12 on Thu, 14 Dec 2006 16:12:03 GMT View Forum Message <> Reply to Message

any chance for that thing we talked about on MSN going into 3.1?

Subject: Re: scripts.dll 3.0 is finally out Posted by cheesesoda on Thu, 14 Dec 2006 17:41:44 GMT View Forum Message <> Reply to Message

jonwil wrote on Wed, 13 December 2006 21:52With scripts.dll 3.0, you MUST put the d3d8.dll in your renegade folder along with bhs.dll, scripts.dll and shaders.dll. Not doing so (either on the client or the FDS) WILL cause problems. Using any other d3d8.dll (such as rend3d9) other than the one in this zip file WILL cause problems. Why the fuck would you do that? Let's just be a Nazi!

Oh, and as for the saberhawk thing... if you think it could have been done faster, why didn't you do it? You obviously think you're capable by how much you build yourself up.

Subject: Re: scripts.dll 3.0 is finally out Posted by Sir Kane on Thu, 14 Dec 2006 17:46:05 GMT View Forum Message <> Reply to Message

That's right kids, cheats.dll 3.0 is finally out.

Subject: Re: scripts.dll 3.0 is finally out Posted by jonwil on Thu, 14 Dec 2006 22:24:29 GMT View Forum Message <> Reply to Message

The reason you need the new d3d8.dll is because features in 3.0 (including shaders.dll) talk to it directly.

jus installed scripts 3.0 and wohoo error? any ideas?

and by the looks of it bhs.dll is there coz i can see it lol

Subject: Re: scripts.dll 3.0 is finally out Posted by -[TT]-Whit3 on Tue, 19 Dec 2006 12:32:55 GMT View Forum Message <> Reply to Message

nvm nightma fixed it for me

gave me this link if anyone needs it http://www.dll-files.com/dllindex/dll-files.shtml?d3dx9\_30

Subject: Re: scripts.dll 3.0 is finally out Posted by jonwil on Tue, 19 Dec 2006 13:47:04 GMT View Forum Message <> Reply to Message

Whilst I have good knowledge of many areas of the renegade engine, my DirectX shader knowledge is pratctically non existant. I could never have pulled off all the great stuff in d3d9 and shaders.dll without Saberhawks help.

Subject: Re: scripts.dll 3.0 is finally out Posted by SeargentSarg on Fri, 22 Dec 2006 02:05:10 GMT View Forum Message <> Reply to Message

-[TT-Whit3 wrote on Tue, 19 December 2006 06:32]nvm nightma fixed it for me

gave me this link if anyone needs it http://www.dll-files.com/dllindex/dll-files.shtml?d3dx9\_30

Lol, now it says I don't have scripts2.ddl

Subject: Re: scripts.dll 3.0 is finally out Posted by Caveman on Sat, 23 Dec 2006 00:59:28 GMT View Forum Message <> Reply to Message Page 11 of 11 ---- Generated from Command and Conquer: Renegade Official Forums