## Subject: BRenBot CMSG paging isn't working Posted by iRANian on Fri, 06 Jul 2012 20:18:22 GMT

View Forum Message <> Reply to Message

I set Enable\_CMSG\_Paging to 1 in brenbot.cfg, but it still sends me a PPAGE instead of green CMSG.

Subject: Re: BRenBot CMSG paging isn't working Posted by iRANian on Fri, 06 Jul 2012 20:42:29 GMT

View Forum Message <> Reply to Message

[22:38:46] <Blacky> if (  $= \/$ The Version of the server is (.+)/ ||  $= \/$ The version of

(bhs|tt).dll on this machine is (.+)/i)

[22:38:46] <Blacky> { \$brconfig::serverBhsVersion = \$1; }

[22:38:51] <Blacky> this is why it not working

[22:38:53] <Blacky> regex wrong

[22:39:10] <Blacky> sversion

[22:39:10] <Blacky> >The version of tt.dll on this machine is 4.000000

Subject: Re: BRenBot CMSG paging isn't working Posted by danpaul88 on Fri, 06 Jul 2012 21:04:07 GMT

View Forum Message <> Reply to Message

The regex looks fine to me. If it wasn't working a lot of other stuff wouldn't work, I suspect any cmsgp problem is something else

Subject: Re: BRenBot CMSG paging isn't working Posted by iRANian on Fri, 06 Jul 2012 21:16:56 GMT

View Forum Message <> Reply to Message

The regex looks for "The Version" while the output is "The version", it's the capital V in Version that's wrong, unless regex is case-insensitive.

edit: didn't see the second match line

Subject: Re: BRenBot CMSG paging isn't working Posted by Gen\_Blacky on Fri, 06 Jul 2012 22:08:38 GMT

View Forum Message <> Reply to Message

The regex is fine.

# Record the version of the server

```
if ($line =~ /^The Version of the server is (.+)/ || $line =~ /^The version of (bhs|tt).dll on this machine is (.+)/i)

{ $brconfig::serverBhsVersion = $1; }

but on this $line =~ /^The version of (bhs|tt).dll on this machine is (.+)/i

your setting "serverBhsVersion" to "bhs" or "tt" not script version.

(bhs|tt) is $1

need to use $2 or fix the regex.

# Record the version of the server if ($line =~ /^The Version of the server is (.+)/ || $line =~ /^The version of bhs.dll|tt.dll on this machine is (.+)/i)

{ $brconfig::serverBhsVersion = $1; }
```

## Subject: Re: BRenBot CMSG paging isn't working Posted by Gen\_Blacky on Fri, 06 Jul 2012 22:35:12 GMT

View Forum Message <> Reply to Message

didn't want to make new thread but fix this.

!uptime

!uptime

!uptime

!uptime

I've been running for 5 minutes, 12.9123239517212 seconds.

I've been running for 5 minutes, 13.9123239517212 seconds.

I've been running for 5 minutes, 13.9123239517212 seconds.

I've been running for 6 minutes, 39.9123239517212 seconds.

## Subject: Re: BRenBot CMSG paging isn't working Posted by danpaul88 on Fri, 06 Jul 2012 22:48:16 GMT

View Forum Message <> Reply to Message

Gen\_Blacky wrote on Fri, 06 July 2012 23:35didn't want to make new thread but fix this.

!uptime

!uptime

!uptime

!uptime

I've been running for 5 minutes, 12.9123239517212 seconds.

I've been running for 5 minutes, 13.9123239517212 seconds.

I've been running for 5 minutes, 13.9123239517212 seconds.

I've been running for 6 minutes, 39.9123239517212 seconds.

Fix people spamming a command?

As for the Regex matching group, it used to be \$1 before I tweaked it to support tt.DLL as well as bhs.DLL, guess I just forgot to make it a non capturing group. Simple fix to make.

Subject: Re: BRenBot CMSG paging isn't working Posted by Gen\_Blacky on Fri, 06 Jul 2012 22:55:57 GMT

View Forum Message <> Reply to Message

danpaul88 wrote on Fri, 06 July 2012 16:48Gen\_Blacky wrote on Fri, 06 July 2012 23:35didn't want to make new thread but fix this.

!uptime

!uptime

!uptime

!uptime

I've been running for 5 minutes, 12.9123239517212 seconds.

I've been running for 5 minutes, 13.9123239517212 seconds.

I've been running for 5 minutes, 13.9123239517212 seconds.

I've been running for 6 minutes, 39.9123239517212 seconds.

Fix people spamming a command?

As for the Regex matching group, it used to be \$1 before I tweaked it to support tt.DLL as well as bhs.DLL, guess I just forgot to make it a non capturing group. Simple fix to make.

truncate decimal would be better I think, milliseconds always the same.